

MXZ MULTI INVERTERSKI UREĐAJI

Vanjske jedinice podržavaju spajanje 2, 3, 4, 5 ili čak 6 unutarnjih jedinica

**PODRUČJE
RADA**



OD **-10°C**
DO **+46°C**



OD **-15°C**
DO **+24°C**

**ENERGETSKA
UČINKOVITOST**

SEER
7,1

A++

SCOP
4,2

A+

Podaci se odnose na model snage 5,3 kW



MXZ-2DM40 - 2 izlaza
MXZ-2D42VA - 2 izlaza
MXZ-2D53VA - 2 izlaza



MXZ-3DM50 - 3 izlaza
MXZ-3E54VA2 - 3 izlaza
MXZ-3E68VA - 3 izlaza
MXZ-4E72VA - 4 izlaza



MXZ-4E83VA - 4 izlaza
MXZ-5E102VA - 5 izlaza



MXZ-6D122VA - 6 izlaza

2DM40, 2D42VA, 2D53VA

mogućnost spajanja
do 2 unutarnje
jedinice



► Vanjske jedinice 2DM40 i 3DM50 moguće je upariti samo s unutarnjim jedinicama DM i HJ serije

model	učin hl. (kW)	učin gr. (kW)	energ. klasa	dimenzije V/Š/D (mm)
2DM40, 2D42VA, 2D53VA				
► MXZ-2DM40	4,0	4,3	A++/A+	550 / 800 / 285
MXZ-2D42VA	4,2 (1,1-4,4)	4,5 (1,0-4,8)	A++/A+	550 / 800 / 285
MXZ-2D53VA	5,3 (1,1-5,6)	6,4 (1,0-7,0)	A++/A+	550 / 800 / 285

3DM50, 3E54VA2, 3E68VA, 4E72VA

mogućnost spajanja
do 3 ili 4 unutarnje
jedinice



model	učin hl. (kW)	učin gr. (kW)	energ. klasa	dimenzije V/Š/D (mm)
3DM50, 3E54VA2, 3E68VA, 4E72VA				
► MXZ-3DM50	5,0	6,0	A++/A	710 / 840 / 330
MXZ-3E54VA2	5,4 (2,9-6,8)	7,0 (2,6-9,0)	A++/A+	710 / 840 / 330
MXZ-3E68VA	6,8 (2,9-8,4)	8,6 (2,6-10,6)	A+/A	710 / 840 / 330
MXZ-4E72VA	7,2 (3,7-8,8)	8,6 (3,4-10,7)	A+/A	710 / 840 / 330

4E83VA, 5E102VA

mogućnost spajanja
do 4 ili 5 unutarnjih
jedinica



KLIMA
K O N C E P T
www.klimakoncept.hr

model	učin hl. (kW)	učin gr. (kW)	energ. klasa	dimenzije V/Š/D (mm)
4E83VA, 5E102VA				
MXZ-4E83VA	8,3 (3,7-9,2)	9,0 (3,4-11,6)	A++/A+	796 / 950 / 330
MXZ-5E102VA	10,2 (3,9-11,0)	10,5 (4,1-14,0)	A++/A+	796 / 950 / 330

6D122VA

mogućnost spajanja
do 6 unutarnjih
jedinica



model	učin hl. (kW)	učin gr. (kW)	energ. klasa	dimenzije V/Š/D (mm)
6D122VA				
MXZ-6D122VA	12,2 (3,5-13,5)	14,0 (3,5-16,5)	-/-	1048 / 950 / 330

MULTI INVERTERSKI UREĐAJI

Unutarnje jedinice - DC Inverter



www.klimakoncept.hr

STANDARD INVERTER ZIDNA

Model	Učin (kW) hlađenje	Učin (kW) grijanje	Dimenzije V/Š/D (mm)
STANDARD INVERTER ZIDNA			
MSZ-DM25VA	2,5 (1,3-3,0)	3,2 (0,9-3,5)	290 / 799 / 232
MSZ-DM35VA	3,2 (1,4-3,5)	3,6 (1,1-4,1)	290 / 799 / 232
MSZ-HJ50VA	5,0 (1,3-5,0)	5,4 (1,4-6,5)	290 / 799 / 232

MSZ-DM(HJ)25/35/50VA




jedinice su kompatibilne samo sa vanjskim jedinicama MXZ 3DM50/3DM

SUPER INVERTER ZIDNA

Model	Učin (kW) hlađenje	Učin (kW) grijanje	Dimenzije V/Š/D (mm)
SUPER INVERTER ZIDNA			
MSZ-SF15VA	1,5 (0,9-2,4)	1,7 (0,9-3,1)	250 / 760 / 168
MSZ-SF20VA	2,0 (0,9-2,6)	2,2 (0,9-3,1)	250 / 760 / 168
MSZ-SF25VE	2,5 (0,9-3,4)	3,2 (1,0-4,1)	299 / 798 / 195
MSZ-SF35VE	3,5 (1,1-3,8)	4,0 (1,3-4,6)	299 / 798 / 195
MSZ-SF42VE	4,2 (0,8-4,5)	5,4 (1,3-6,0)	299 / 798 / 195
MSZ-SF50VE	5,0 (1,4-5,4)	5,8 (1,4-7,3)	299 / 798 / 195
MSZ-GF60VE	6,1 (1,4-7,5)	6,8 (2,0-9,3)	325 / 1100 / 238
MSZ-GF71VE	7,1 (2,0-8,7)	8,1 (2,2-9,9)	325 / 1100 / 238

MSZ-SF15/20/25/35/42/50



MSZ-GF60/71



SUPER INVERTER + ZIDNA

Model	Učin (kW) hlađenje	Učin (kW) grijanje	Dimenzije V/Š/D (mm)
SUPER INVERTER + ZIDNA			
MSZ-AP15VA	1,5 (0,9-2,4)	1,7 (0,9-3,1)	250 / 760 / 178
MSZ-AP20VA	2,0 (0,9-2,6)	2,2 (0,9-3,1)	250 / 760 / 178
MSZ-AP25VE	2,5 (0,9-3,4)	3,2 (1,0-4,1)	299 / 798 / 219
MSZ-AP35VE	3,5 (1,1-3,8)	4,0 (1,3-4,6)	299 / 798 / 219
MSZ-AP42VE	4,2 (0,9-4,5)	5,4 (1,3-6,0)	299 / 798 / 219
MSZ-AP50VE	5,0 (1,4-5,4)	5,8 (1,4-7,3)	299 / 798 / 219

MSZ-AP15/20/25/35/42/50



KIRIGAMINE ZEN EF ZIDNA

Model	Učin (kW) hlađenje	Učin (kW) grijanje	Dimenzije V/Š/D (mm)
KIRIGAMINE ZEN EF ZIDNA			
MSZ-EF22VEW(B) MSZ-EF22VES	2,2	3,0	299 / 895 / 195
MSZ-EF25VEW(B) MSZ-EF25VES	2,5 (1,2-3,4)	3,2 (1,1-4,2)	299 / 895 / 195
MSZ-EF35VEW(B) MSZ-EF35VES	3,5 (1,4-4,0)	4,0 (1,8-5,5)	299 / 895 / 195
MSZ-EF42VEW(B) MSZ-EF42VES	4,2 (0,9-4,6)	5,4 (1,4-6,3)	299 / 895 / 195
MSZ-EF50VEW(B) MSZ-EF50VES	5,0 (1,4-5,4)	5,8 (1,6-7,5)	299 / 895 / 195

MSZ-EF22/25/35/42/50VE



KIRIGAMINE FH ZIDNA

Model	Učin (kW) hlađenje	Učin (kW) grijanje	Dimenzije V/Š/D (mm)
KIRIGAMINE FH ZIDNA			
MSZ-FH25VE	2,5 (1,4-3,5)	3,2 (1,8-5,5)	305 / 925 / 234
MSZ-FH35VE	3,5 (0,8-4,0)	4,0 (1,0-6,3)	305 / 925 / 234
MSZ-FH50VE	5,0 (1,9-6,0)	6,0 (1,7-8,7)	305 / 925 / 234


MSZ-FH25/35/50VE



KIRIGAMINE STYLE ZIDNA

Model	Učin (kW) hlađenje	Učin (kW) grijanje	Dimenzije V/Š/D (mm)
KIRIGAMINE STYLE ZIDNA			
MSZ-LN25VG(W)	2,5 (1,0-3,5)	3,2 (0,8-5,4)	307 / 890 / 233
MSZ-LN25VG (B/R/V)			
MSZ-LN35VG(W)	3,5 (0,8-4,0)	4,0 (1,0-6,3)	307 / 890 / 233
MSZ-LN35VG (B/R/V)			

MSZ-LN25/35



PARAPETNA

Model	Učin (kW) hlađenje	Učin (kW) grijanje	Dimenzije V/Š/D (mm)
PARAPETNA			
MFZ-KJ25VE	2,5 (0,5-3,4)	3,4 (1,2-4,6)	600 / 750 / 215
MFZ-KJ35VE	3,5 (0,5-3,7)	4,3 (1,2-5,5)	600 / 750 / 215
MFZ-KJ50VE	5,0 (1,6-5,7)	6,0 (2,2-8,2)	600 / 750 / 215

MFZ-KJ 25/35/ 50VE



Daljinski upravljači uključeni u cijenu za sve modele.

KAZETA 1-SMJER

Model	Učin (kW) hlađenje	Učin (kW) grijanje	Dimenzije V/Š/D (mm)
KAZETA 1-SMJER			
MLZ-KA25VA	2,5	3,4	175 / 1102 / 360
MLP-443W (panel)			34 / 1200 / 414
MLZ-KA35VA	3,5	4,0	175 / 1102 / 360
MLP-443W (panel)			34 / 1200 / 414
MLZ-KA50VA	4,8	6,0	175 / 1102 / 360
MLP-443W (panel)			34 / 1200 / 414

KAZETA 1-SMJER



Pumpa za odvod kondenzata je uključena. Daljinski upravljač uključen

KAZETA 4-SMJERA 600 X 600 mm

Model	Učin (kW) hlađenje	Učin (kW) grijanje	Dimenzije V/Š/D (mm)
KAZETA 4-SMJERA			
SLZ-M25FA(LM)	2,6 (1,5-3,2)	3,2 (1,3-4,5)	235 / 570 / 570
SLZ-M35FA(LM)	3,5 (1,4-3,4)	4,0 (1,7-5,0)	235 / 570 / 570
SLZ-M50FA(LM)	4,6 (2,3-5,2)	5,0 (1,7-6,5)	235 / 570 / 570
SLZ-M25FA	2,6 (1,5-3,2)	3,2 (1,3-4,5)	235 / 570 / 570
SLZ-M35FA	3,5 (1,4-3,4)	4,0 (1,7-5,0)	235 / 570 / 570
SLZ-M50FA	4,6 (2,3-5,2)	5,0 (1,7-6,5)	235 / 570 / 570

SLZ-M... FA(LM) - model s IC daljinskim i panelom SLP-FALM, SLZ-M... FA - model sa daljinskim PAR-33 i panelom SLP-FALM

KAZETA 4-SMJERA



Panel uključen u cijenu.

Opcija žičani daljinski upravljač PAR-33MAA. Pumpa za odvod kondenzata je uključena. Za FA(LM) modele opcija je žičani dalj. upravljač PAR-33MAA



PAR-33MAA

DALJINSKI UPRAVLJAČ

PAR-33MAA žičani daljinski upravljač

KANALNA

Model	Učin (kW) hlađenje	Učin (kW) grijanje	Dimenzije V/Š/D (mm)
SEZ-M25VAQ	2,5 (1,5-3,2)	2,9 (1,3-4,5)	200 / 790 / 700
SEZ-M35VAQ	3,5 (1,4-3,9)	4,2 (1,7-5,0)	200 / 990 / 700
SEZ-M50VAQ	5,1 (2,3-5,6)	6,4 (1,7-7,2)	200 / 990 / 700
SEZ-M60VAQ	5,6 (2,3-6,3)	7,4 (2,5-8,0)	200 / 1190 / 700
SEZ-M71KAQ	7,1 (2,8-8,3)	8,1 (2,6-10,4)	200 / 1190 / 700

DALJINSKI UPRAVLJAČ

PAR-33MAA žičani daljinski upravljač

KANALNA



Opcija žičani daljinski upravljač PAR-33MAA, opcija pumpe za odvod kondenzata

PAR-33MAA