



Daikin Altherma high
temperature split
Technical Data
EPSK06-10AV3



TABLE OF CONTENTS

EPSK06-10AV3

1	Features	4
	EPSK06-10AV3	4
2	Specifications	5
3	Capacity graphs	36
	Cooling Capacity Graphs	36
	Cooling Capacity Graphs - quiet mode	37
	Heating Capacity Graphs	38
	Heating Capacity Graphs - quiet mode	40
4	Capacity tables	42
	Certification Programs	42
	Domestic Hot Water performance	43
5	Dimensional drawings	45
6	Piping diagrams	46
7	Wiring diagrams	47
	Wiring Diagrams - Single Phase	47
8	Sound data	48
	Sound Pressure Spectrum - Cooling	48
	Sound Pressure Spectrum - Heating	49
	Sound Pressure Spectrum Quiet Mode	50
9	Installation	51
	Installation Method	51
	Installation Method in cascade applications	52
10	Operation range	53

1 Features

1 - 1 EPSK06-10AV3

- › Best-in-class heating capacity, ensuring warmth at cold ambient
- › Outdoor unit extracts heat from the outdoor air, even at -28°C
- › By heat pump operation only, the outdoor unit delivers a leaving water temperature of 70-75°C at -15°C ambient temperature
- › Ultra low sound level of 50-54 dBA
- › Choosing natural refrigerant R-290 product reduces the environmental impact, leading to lower energy consumption



-28°

Guaranteed operation down to -28°C



Onecta app (optional)



Online controller